

Work Order ID 68295

Monday, April 11, 2011 1:18:58 PM



Page 1

Item ID: K591-113

Accept



Setup Start



Revision ID:

Stop



Item Name: Short Step Instln Kit

Start Date: 4/11/2011 Start Qty: 6.00



Cust Item ID:

Required Date: 7/1/2011 Req'd Qty: 6.00



Customer:

Reference:

Approvals:

Process Plan:

Handwritten signature

Date:

11-04-11

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

DSI9525

A

104

Pick Kit

0.00



Packaging

Memo

0.00

Packaging

11/6/10 SP (6)

Label - for BG 11-6-10

105

QC4- 100% Inspect kits for completeness

0.00



QC

Memo

0.00

Quality Control

Sub 105

(26)

110

Identify as per dwg & Stock Location:

0.00



Packaging

Memo

0.00

Packaging

CHG005

PP 68687

11/8/10 SP

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 68295

Monday, April 11, 2011 1:18:58 PM



Page 2

Item ID: K591-113

Accept



Setup Start



Revision ID:

Stop



Item Name: Short Step Instln Kit

Start Date: 4/11/2011 Start Qty: 6.00



Cust Item ID:

Required Date: 7/1/2011 Req'd Qty: 6.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/7/11 JJ

ME: 11-07-01

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Monday, April 11, 2011 1:19:04 PM

Page 1

Work Order ID: 68295

Parent Item: K591-113

Parent Item Name: Short Step Instln Kit

Start Date: 4/11/2011

Required Date: 7/1/2011

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP : C 04.11.09 Reformat KJ/JLM
as per revG DD 10.04.20 verified by:EC
586 10.06.18 DD verf:EC

IPP Rev:D
IPP Rev:E as per ECN10-

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D2171



Clamp

Manufactured

No

104

Each

37.0000

2

12



B68938

Location

Loc Qty

Loc Code

ST456

37

41535

37

D2274



Radius Block

Manufactured

No

104

Each

560.0000

4

24

16



68930

Location

Loc Qty

Loc Code

ST010

560

65757

156

67578

404

D2182B



Rubber Cushion

Manufactured

No

104

f

362.1169

0.5833

3.4998



Location

Loc Qty

Loc Code

ST410

362.1169

63413

12.1169

66063

350

(D2182B035) CUT 2 AT 3.50"

D2362-3



Support Bracket

Manufactured

No

104

Each

0.0000

1

16



B67215

B68974

11/7/11

11/6/11

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Monday, April 11, 2011 1:19:04 PM

Work Order ID: 68295

Parent Item: K591-113

Parent Item Name: Short Step Instln Kit

Start Date: 4/11/2011

Required Date: 7/1/2011

Start Qty: 6.00

Required Qty: 6.00

D3595-200-300

Manufactured

No

104

Each

106.0000



RUBBER CUSHION

Location

Loc Qty

Loc Code

ST416

106

41360

106

104

Each

261.0000

AN3-37A

Purchased

No



Bolt

Location

Loc Qty

Loc Code

ST353

261

105425

125

111668

136

104

Each

71.0000

AN4-21A

Purchased

No



Bolt

Location

Loc Qty

Loc Code

ST359

71

115108

21

116786

50

104

Each

264.0000

AN4-22A

Purchased

No



Bolt

Location

Loc Qty

Loc Code

ST359

264

114523

14

114784

100

116419

50

117313

100

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Monday, April 11, 2011 1:19:05 PM

Page 3

Work Order ID: 68295

Parent Item: K591-113

Parent Item Name: Short Step Instln Kit

Start Date: 4/11/2011

Required Date: 7/1/2011

Start Qty: 6.00

Required Qty: 6.00

AN960JD10 NAS1149D0363J Purchased No

104

Each

0.0000

4

24



Washer



M116583

AN960JD416 NAS1149D0463J Purchased No

104

Each

0.0000

6

36



Washer



M117460

MS21042L3 Purchased No

104

Each

1,927.000

2

12



Nut



SP

Location

Loc Qty

Loc Code

ST300

1927

116391

353

116540

800

116549

774

MS21042L4 Purchased No

104

Each

2,792.000

5

30



Nut



116/10 SP (60)

Location

Loc Qty

Loc Code

ST300

2792

116188

792

116823

2000

35

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D350-591 REV. G
AND INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D350-591 REV. 3

REF TCCA STC: SH92-6

REF FAA STC: SH967NE

REFERENCE ONLY

PURPOSE:

TO PROVIDE AN OPTIONAL CUSHION KIT TO BE INSTALLED ON THE D350-591-111A/-113/-115/-117A/-119 *Heli-Access-Step™* (THE D2856-400-720 ABRASION STRIP IS REPLACED WITH THE D3595-200-300 CUSHION).

CHANGE:

FOR D350-591-111A/-113/-115 @ CHG 005 (OR LATER), D350-591-117A @ CHG 003 (OR LATER) AND D350-591-119 @ CHG 004 (OR LATER), THE PARTS LIST OF INSTALLATION INSTRUCTIONS D350-591 AND INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D350-591 IS AMENDED AS FOLLOWS:

QTY -111A	QTY -113	QTY -115	QTY -117A	QTY -119	Part Number	Description
X					D350-591-111A	Heli-Access-Step™, Long Step – High Skid
	X				D350-591-113	Heli-Access-Step™, Short Step – High Skid
		X			D350-591-115	Heli-Access-Step™, Short Step – Low Skid
			X		D350-591-117A	Heli-Access-Step™, Pre-Flight Step
				X	D350-591-119	Heli-Access-Step™, Long Step – Low Skid
	1				D2310	STEP ASSEMBLY (HIGH-SHORT)
1					D2311	STEP ASSEMBLY (HIGH-LONG)
		1			D2354	STEP ASSEMBLY (LOW-SHORT)
				1	D2355	STEP ASSEMBLY (LOW-LONG)
4	2	2	2	2	D2171	CLAMP
4	2	2	2	2	D2182B035	CUSHION
8	4	4	4	4	D2274	RADIUS BLOCK
			1		D2362-041	SUPPORT BRACKET
2	1			1	D2362-3	SUPPORT BRACKET
		1			D2362-5	SUPPORT BRACKET
2	1	1	1	1	D3595-200-300	CUSHION (NEW)
2	2	2		2	AN3-37A	BOLT
		4			AN4-20A	BOLT (REPLACED, WAS AN4-16A)
8	4			4	AN4-21A	BOLT (REPLACED, WAS AN4-20A)
1	1	1	4	1	AN4-22A	BOLT
4	4	4		4	NAS1149D0363J	WASHER (OR AN960JD10)
10	6	2	4	6	NAS1149D0463J	WASHER (OR AN960JD416)
		4			NAS1149D0416J	WASHER (OR AN960JD416L)
2	2	2		2	MS21042L3	NUT
9	5	5	4	5	MS21042L4	NUT

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: *[Signature]*
D. SHEPHERD (DE # 02)
DATE: 10.06.08
CERT. NO.: SH92-6
ISSUE NO.: 11

A	NEW ISSUE.	JPH	10.06.08
REV.	DESCRIPTION	BY	DATE
DESIGN	<i>qp</i>	DART AEROSPACE LTD	
DRAWN	<i>1</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>1</i>	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9525	SHEET 1 OF 4
APPROVED	<i>1</i>	TITLE	SCALE
DE APPR.	<i>1</i>	STEP CUSHION CHANGE	NTS
DATE	10.06.08	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

REFERENCE ONLY

THE DSI-9525-XXX KITS THAT ARE AVAILABLE FROM DART TO UPGRADE THE D350-591-111A/-113/-115 KITS @ CHG 004 (OR EARLIER), THE D350-591-117A KIT @ CHG 002 (OR EARLIER) AND THE D350-591-119 KIT @ CHG 003 (OR EARLIER) ARE AS FOLLOWS:

QTY -011	QTY -013	QTY -015	QTY -017	Part Number	Description
X				DSI-9525-011	STEP CUSHION KIT (FOR D350-591-111A)
	X			DSI-9525-013	STEP CUSHION KIT (FOR D350-591-113/-119)
		X		DSI-9525-015	STEP CUSHION KIT (FOR D350-591-115)
			X	DSI-9525-017	STEP CUSHION KIT (FOR D350-591-117A)
2	1	1	1	D3595-200-300	CUSHION
		4		AN4-20A	BOLT
8	4			AN4-21A	BOLT
			4	AN4-22A	BOLT
8	4	4	4	NAS1149D0463J	WASHER (OR AN960JD416)
8	4	4	4	MS21042L4	NUT

INSTRUCTIONS:


TO INSTALL THE D3595-200-300 CUSHION:






1. REMOVE THE STEP PER ICA-D350-591 SECTION 32.2
2. REMOVE THE D2856-400-720 ABRASION STRIP PER ICA-D350-591 SECTION 32.4
3. POSITION THE D3595-200-300 CUSHION AS INDICATED ON SHEET 3 OR 4 (AS APPLICABLE) OF THIS SERVICE INSTRUCTION.
4. REINSTALL THE STEP PER ICA-D350-591 SECTION 32.1 AS APPLICABLE USING THE NEW HARDWARE PROVIDED AS SHOWN ON SHEET 3 OR 4 (AS APPLICABLE) OF THIS SERVICE INSTRUCTION.

WEIGHT AND BALANCE:

THERE IS A NEGLIGIBLE WEIGHT INCREASE WITH THIS MODIFICATION.

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: 
D. SHEPHERD (DE # 02)
DATE: 10.06.08
CERT. NO.: SH92-6
ISSUE NO.: 11

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9525	SHEET 2 OF 4
APPROVED		TITLE	SCALE
DE APPR.		STEP CUSHION CHANGE	NTS
DATE	10.06.08	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

5. PARTS LIST

Qty -111A	Qty -113	Qty -115	Qty -117A	Qty -119	Qty -133	Part Number	Description
X						D350-591-111A	<i>Heli-Access-Step</i> ™, Long Step – High Skid
	X					D350-591-113	<i>Heli-Access-Step</i> ™, Short Step – High Skid
		X				D350-591-115	<i>Heli-Access-Step</i> ™, Short Step – Low Skid
			X			D350-591-117A	<i>Heli-Access-Step</i> ™, Pre-Flight Step
				X		D350-591-119	<i>Heli-Access-Step</i> ™, Long Step – Low Skid
					X	D350-591-133	<i>Heli-Access-Step</i> ™, Aft Maintenance Step
	1					D2310	STEP ASSEMBLY (HIGH-SHORT)
1						D2311	STEP ASSEMBLY (HIGH-LONG)
		1				D2354	STEP ASSEMBLY (LOW-SHORT)
				1		D2355	STEP ASSEMBLY (LOW-LONG)
					1	D2946-041	STEP ASSEMBLY (MAINTENANCE)
4	2	2	2	2		D2171	CLAMP
4	2	2	2	2		D2182B035	CUSHION
					4	D2230-1	MOUNTING LUG
					4	D2230-3	MOUNTING LUG
8	4	4	4	4		D2274	RADIUS BLOCK
			1			D2362-041	SUPPORT BRACKET
2	1			1		D2362-3	SUPPORT BRACKET
		1				D2362-5	SUPPORT BRACKET
2	1	1	1	1	2	D2856-400-720	ABRASION STRIP
					1	D2945	MOUNTING PLATE
2	2	2		2		AN3-37A	BOLT
					2	AN4-7A	BOLT
					4	AN4-11A	BOLT
					8	AN4-14A	BOLT
		4				AN4-16A	BOLT
8	4			4		AN4-20A	BOLT
1	1	1	4	1		AN4-22A	BOLT
4	4	4		4		AN960JD10	WASHER
10	6	2	4	6	14	AN960JD416	WASHER
		4				AN960JD416L	WASHER
2	2	2		2		MS21042L3	NUT
9	5	5	4	5	14	MS21042L4	NUT

Qty -121	Qty -122	Qty -123	Qty -124	Part Number	Description
X				D350-591-121	<i>Heli-Access-Step</i> ™, Short Step – High Skid, LH
	X			D350-591-122	<i>Heli-Access-Step</i> ™, Short Step – High Skid, RH
		X		D350-591-123	<i>Heli-Access-Step</i> ™, Short Step – Low Skid, LH
			X	D350-591-124	<i>Heli-Access-Step</i> ™, Short Step – Low Skid, RH
1				D2351-041	STEP ASSEMBLY (HIGH-SHORT, LH)
	1			D2351-042	STEP ASSEMBLY (HIGH-SHORT, RH)
		1		D2356-041	STEP ASSEMBLY (LOW-SHORT, LH)
			1	D2356-042	STEP ASSEMBLY (LOW-SHORT, RH)
1	1	1	1	D2230-1	MOUNTING LUG
1	1	1	1	D2230-3	MOUNTING LUG
1	1	1	1	D2856-400-720	ABRASION STRIP
2	2	2	2	AN3-37A	BOLT
3	3	3	3	AN4-13A	BOLT
4	4	4	4	AN960JD10	WASHER
6	6	6	6	AN960JD416	WASHER
2	2	2	2	MS21042L3	NUT
3	3	3	3	MS21042L4	NUT